# Intellian t110W

**World's First & Only** Global Satellite TV Service Reception 1.05m Stabilized Ku-band Marine Satellite Antenna



#### Global satellite services compatibility

Intellian t110W provides the ultimate convenience to connect you up to thousands of Free TV, Pay TV, Standard Definition, and High Definition programming all over the world with one LNB module which incorporates multi (8) LO frequencies.

#### DVB-S2 Digital TV reception

Some of the HD TV services have moved onto DVB-S2, and there will be more in the future. Thanks to Intellian's groundbreaking DVB-S2 digital TV technology, now boaters are able to enjoy their favorite DTH (Direct To Home) entertainment at sea, just like home.

#### Hands-free WorldView™ LNB module

The 2nd generation, patent-pending WorldView LNB module is the latest innovation from Intellian. Unlike other TVRO system LNB's with  $\pm 1,000$  kHz stability, the Intellian WorldView LNB module is built on the highest stability of  $\pm 10$  kHz which has 100 times more accuracy and greater signal sensitivity. In addition, this LNB module receives multi-band and multi-polarization satellite TV services around the globe. Therefore, boaters don't need to manually change the LNB inside the antenna dome each time the vessel crosses into a different satellite service region.

### I Global satellite library

The t110W includes the pre-programmed global satellite library which allows boaters to select the desired satellite while travelling from region to region. Once the satellite is selected the WorldView LNB module will automatically switch to the corresponding local frequency to receive the signal.

#### Dedicated management ethernet port

The Management Ethernet Port on the front of ACU enables direct and simple network connection between a PC and the ACU. The Management Port supports DHCP network connection by default, allowing automatic IP configurations and quick access to Intellian's remote management solution, Aptus Web.

#### Wireless connectivity

The built-in Wi-Fi enables the ACU to be wirelessly connected and can be either turned on and off by a switch. Any kind of wireless devices such as PCs, laptops and smartphones can be used to connect to the ACU and monitor, control and change the settings of the system wirelessly.



## Intellian t110W

### I Technical Specifications

Physical		
Radome Height	142cm / 55.9"	
Radome Diameter	133cm / 52.4"	
Reflector Diameter	105cm / 41.3"	
Weight	91kg / 201lbs	
Environmental		
Operating Temp. Range	-25°C to +55°C / -13°F to +131°F	
Storage Temp. Range	-40°C to +80°C / -40°F to +176°F	
Water Ingress	IPX6	
Approvals	CE / FCC	
Warranty	3 year parts and 1 year labor	
Performance		
<b>Reception Frequency</b>	Ku-band (10.7~12.75GHz)	
Polarization	Circular / Linear auto-switchable	
Minimum EIRP	42dBW	
Azimuth Range	680°	
Elevation Range	-15° to +120°	
Ship's Motion	Roll ±25°, Pitch ±15°, Yaw ±8° @ 6 sec period	
Turning Rate	Up to 12°/sec & 5°/sec <sup>2</sup>	
RF Output	Quad Output	
Antenna Control Unit		
Dimensions (WxDxH)	43.1cm x 38cm x 4.4cm / 17" x 15" x 1.7"	
Weight	3.5kg / 7.7lbs	
Display	2 line 40 Character VFD module	
GPS Interface	Built-in (NMEA 0183 GPS)	
Power Requirement	100~240V AC, 50~60Hz, 2A	
Power Consumption	Typ.50W, Max. 100W	
LNB LO Frequencies		
Local Oscillator Frequency	Polarization	Area
11.250 GHz	Dual Circular	North America, Russia
10.500 GHz	Dual Circular	Latin America
10.750 GHz	Single Circular	Korea
10.750 GHz	Dual Circular	China
10.678 GHz	Single Circular	Japan
11.300 GHz	Dual Linear	South East Asia
10.700 GHz	Dual Linear	Australia

Note

Universal

Low: 9.75 GHz High: 10.6 GHz

LNB stability: ±10 kHz (Except at Universal 9.75 GHz)
LNB L0 frequencies can be extended

LNB LO frequencies are automatically changed according to target satellites
Relativities are he switched between sizellar and lines.


Polarization can be switched between circular and linear

Quad Linear

#### 1.05m Ku-band 3-axis

Marine Satellite Antenna Systems

#### System Diagram



\*Receivers are not supplied

#### Coverage Map





Global HQ Innovation Center / Factory Intellian Technologies, Inc T +82 31 379 1000 F +82 31 377 6185

Europe, Middle East, Africa,

some Asia countries

APAC Seoul Office Intellian Technologies, Inc. T +82 2 511 2244 F +82 2 511 2235 Americas Irvine Office Intellian Technologies USA, Inc. T +1 949 727 4498 F +1 949 271 4183 Toll Free +1 888-201-9223 EMEA Rotterdam Office Intellian B.V. T +31 1 0820 8655 F +31 1 0820 8656

©2017 Intellian Technologies, Inc. All rights reserved. Intellian and the Intellian logo are registered trademarks. Worldview, 1110W and t-Series are trademarks of Intellian Technologies, Inc. in the U.S. and/or various countries. All other trademarks are the property of their respective owners. Information in this document is subject to change without notice. ISO9001 / ISO14001 Certified Intellian has more worldwide offices. Addresses, phone numbers, and fax numbers are listed on the Intellian Website at intelliantech.com